

WARWICK

Industries Inc. since 1995



AUTOMOTIVE
COMMERCIAL



CUSTOM



FLEET
MARINE
SCHOOL
MILITARY
AIRCRAFT
ART SCHOOL
FURNITURE
INSTRUMENT
INDUSTRIAL
GOVERNMENT
KITCHEN CABINET

WOOD WORKING



- Great Quality - Best Value - Unbeatable Service

WWW.WARWICK-SPRAYGUNS.COM

WHY CHOOSE US ?

We are in US market for over 20 years, our brand name is reliable. Our warehouse and repair center locate in Los Angeles California which is able to provide full service. Repair parts are always available to customers.

Our business focus on producing high quality spray equipment such as spray gun and metal pump parts. Our goal is to provide you with great quality and the best value products, while providing unbeatable services.

Because we are both manufacturer and wholesaler, we are able to offer great quality products (QC) that are comparable with the leading brand names in the world. This allows us to remain reasonably priced for our customers – cutting out the middle man. We always have plenty of parts in stock, so as a user, there is no need to worry. We will always be here to support you whenever you need it.

The list prices for our professional spray gun range from \$150-\$400 in 3 different levels: Economic, Value and High End. Please see spray guns page for details. Now we also post some video demonstrations on our website for you to see how good our products are.



- Spray guns



- Rebuilt Kits & Parts



- Accessories



- Airless Repair Parts



4 881H/827H

Best selling, most affordable for Commercial, fleet, and all purpose spraying job...

5 980HE

High end and durable. HE (waterbase) works best for automotive and custom painting...

8 903G

Side cup gun helps to reach difficult angle. This gun offers outstanding atomization performance...

9 CUSTOM PAINTING

11 894H

High end and lowest CFM requirement (4-6) best for on-site kitchen cabinet job

13 HOW TO CHOOSE

4 904HE

Best value for WB and solvent, great for automotive and wood spraying...

6 AUTOMOTIVE

8 878SHE

Low CFM requirement, works for both solvent and water base material. variety tips...

10 891H/891WB

High end pressure gun with terrific transfer efficiency that exceeds 65% to meet VOC legislation, best for industrial / wood furniture manufacturing use

11 777HE

Light weight w/ ergonomic trigger design, designed for waterbase...

14 ACCESSORIES PHOTOS

5 980H

High end and durable. H model (solvent only) works best for automotive and custom painting...

7 WOOD COATING

8 828H

Durable and powerful feeling touch-up gun with lightest weight for long time use...

10 898H

Best selling gun Powerful and very efficient spray and make job done fast.

12 INDUSTRIAL

15 ACCESSORIES CHART

881H

FULL
SIZE

HVLP

TECHNICAL DATA:

Weight: 1.14 lbs

Operating Pressure: 13CFM @ 43PSI, FAN:12"

Finish: Nickel Plated

Aluminum Die Casting Gun Body ; Stainless Steel Nozzle & needle

Standard Sizes: 1.4 / 1.7

Optional Sizes: 1.2 / 1.3 / 1.5 / 2.0


Special Order (call): 1.0 / 2.3



H1 Air Cap: 1.0-1.7 mm

New design go with female
thread cup #27

Easy to hook up



827H

ORDER

881H-AC	Gun, 1 lit aluminum cup, regulator
881H-AS	Gun, 0.6 lit aluminum cup, regulator
881H-PC	Gun, 0.6 lit plastic cup, regulator
881H-GUN KIT	Gun, additional tips. cup. regulator, repair kit and tools.
KIT-81H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-881	Repair Kit (Sprins, gasket etc...)

904HE

FULL
SIZE

HVLP

WATER
BORN

TECHNICAL DATA:

Weight: 1.06 lbs

Operating Pressure: 7-10CFM @29PSI, FAN:12"

Finish: Nickel Plated

Aluminum Die Casting Gun Body ; Stainless Steel Nozzle and Neddle.

Standard Sizes: 1.4 / 1.8

Optional Sizes: 1.2 / 1.3 / 1.6 / 2.0 / 2.5

Special Order (call): 1.0



904HE-AC	Gun, 1 lit aluminum cup, regulator
904HE-AS	Gun, 0.6 lit aluminum cup, regulator
904HE-WP	Gun, 0.6 lit WB plastic cup, regulator
904HE-GUN KIT	Gun, additional tips. cup. regulator, repair kit and tools.
KIT-04H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-904	Repair Kit (Sprins, gasket etc...)

5003 CUP-27AC



1.0 liter
aluminum female
thread cup

5004 CUP-27PC



0.6 liter
plastic female
thread cup

5022 CUP-27AS



0.6 liter alumi-
num female
thread cup

5505 CUP-27WP



0.6 liter
plastic w/ s.s. female
thread cup

5022 REG-34H



regulator

980H

FULL
SIZE

HVLP



H1 Air Cap: 1.0-1.7 mm

TECHNICAL DATA:

Weight: 1.18 lbs

Operating Pressure: 9CFM @ 29PSI, FAN:12"

Finish: Nickel Plated (H),

Aluminum Forged Gun Body ; Stainless Steel Nozzle & needle

Standard Sizes: 1.4 / 1.7

Optional Sizes: 1.2 / 1.3 / 1.9

Special Order (call) : 1.0 / 1.5 / 2.2

ORDER

980H-AC	Gun, 1 lit aluminum cup, regulator
980H-PC	Gun, 0.6 lit plastic cup, regulator
980H-GUN KIT	Gun, additional tips. cup. regulator, repair kit and tools.
KIT-80H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-980	Repair Kit (Sprins, gasket etc...)

980HE

FULL
SIZE

HVLP

WATER
BORN



TECHNICAL DATA:

Weight: 1.18 lbs

Operating Pressure: 9CFM @ 29PSI, FAN:12"

Finish: Anodized Black (HE)

Aluminum Forged Gun Body ; Stainless Steel Nozzle & needle

Standard Sizes: 1.4 / 1.7

Optional Sizes: 1.2 / 1.3 / 1.9

Special Order (call) : 1.0 / 1.5 / 2.2

980HE-AC	Gun, 1 lit aluminum cup, regulator
980HE-WP	Gun, 0.6 lit WB plastic cup, regulator
980HE-GUN KIT	Gun, additional tips. cup. regulator, repair kit and tools.
KIT-80H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-980	Repair Kit (Sprins, gasket etc...)

LID-27AC/ 28AC



Aluminum
Cup lids

LID-27PC/ 28PC



Plastic
Cup lids

ACC-809



Inlet Filter

ACC-815



Gun Holder

F-27L-C / 10



C = 40 on
a card
or PK of 10



WARWICK

**EXTRAORDINARY PERFORMANCE
SUPERIOR ATOMIZATION
BALANCED SPRAY PATTERN
EASY TO CLEAN
AFFORDABLE FOR BOTH
PROFESSIONAL & DIY PAINTERS**

Best Performance:

980H / HE 1.3 1.4 base / clear

Best Value:

904HE 1.3 1.4 base / clear
1.6 1.8 primer

878SHE - Touch-up gun

903G - Side cup gun

WWW.WARWICK-SPRAYGUNS.COM



WARWICK WOOD COATINGS

*1.2-1.3 mm stains, dyes
1.4-1.6 mm wood thin
1.8 mm wood thicker
2.0-2.5 mm latex*

Gravity Feed: (for small job)

904HE, 878SHE touch-up

Pressure / Siphon Feed:

(recommend for furniture manufacturer)

891H, 898H (solvent base)

891WB, 777HE (solvent & waterbase)

894H for on-site job

891H

FULL
SIZE

HVLP



H1 Air Cap: 1.0-1.7 mm

TECHNICAL DATA:

Weight: 1.34 lbs

Operating Pressure: 13CFM @ 43PSI, FAN:12"

Finish: Anodized BLUE (H) Anodized Black (WB)

Aluminum Forged Gun Body ; Stainless Steel Nozzle & needle

Standard Sizes: 1.4 / 1.7

Optional Sizes: 1.2 / 2.3

Special Order (call): 1.0

ORDER

891 GUN	Gun only
891H-1QT	Gun, 1 qt. aluminum siphon cup
891H-2QB	Gun, 2 qt. pressure pot with reg.
891H-GUN KIT	Gun, additional tips. cup. regulator, repair kit and tools.
891WB GUN	Gun only
KIT-91H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-891	Repair Kit (Sprins, gasket etc...)



891WB

WATER
BORN

898H

FULL
SIZE

HVLP



H1 Air Cap: 1.0-1.7 mm

TECHNICAL DATA:

Weight: 1.10 lbs

Operating Pressure: 13CFM @43PSI, FAN:12"

Finish: Nickel Plated

Aluminum Die Casting Gun Body ; Stainless Steel Nozzle and Neddle.

Standard Sizes: 1.4 / 1.7

Optional Sizes: 1.2 / 2.0 / 2.5

Special Order (call): 1.0

ORDER

898H GUN	Gun only
KIT-98H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-898	Repair Kit (Sprins, gasket etc...)

898 CONVENTIONAL GUN IS AVAILABLE UPON REQUEST

5016 CUP-02



1 qt siphon
cup

5019 CUP-2QB



2 qt. pressure
pot

5027 HOSE-5P



5 ft. hose
(1/4")

5024 REG-2QB



Reg for
2 qt. pressure
pot

5022 REG-34H



894H

FULL
SIZE

HVLP



TECHNICAL DATA:

Weight: 1.31 lbs

Operating Pressure: 4-6CFM @ 43PSI, FAN:12"

Finish: Anodized Blue

Aluminum Forged Gun Body ; Stainless Steel Nozzle & needle

Standard Sizes: 1.4 / 1.7

Optional Sizes: 1.3 / 1.5 / 2.0

Special Order (call): 1.0 / 1.2 / 2.3

ORDER

894H GUN	Gun only
894H-2QB	Gun, 2 qt. pressure pot with reg.
KIT-94H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-894	Repair Kit (Springs, gasket etc...)

777HE

FULL
SIZE

HVLP

WATER
BORN



TECHNICAL DATA:

Weight: 0.96 lbs

Operating Pressure: 9CFM @ 29PSI, FAN:12"

Finish: Nickel Plated

Aluminum Die Casting Gun Body ; Stainless Steel Nozzle and Needle.

Standard Sizes: 1.4 / 1.8

Optional Sizes: 1.2 / 1.3 / 1.6 / 2.0 / 2.5

Special Order (call): 1.0

777HE GUN	Gun only
777HE-1QT	Gun, 1 qt. aluminum siphon cup
777HE-2QB	Gun, 2 qt. pressure pot with reg.
777HE-GUN KIT	Gun, additional tips. cup. regulator, repair kit and tools.
KIT-77H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-777	Repair Kit (Springs, gasket etc...)

TANK-25N/26N



Single / Dual
reg
2 1/4 gal.
tank

REG-25N/26N



HOSE-12P/25P



LINERS



ACC-818



903G

MINI

HVLP



TECHNICAL DATA:

Weight: 0.97 lbs

Operating Pressure: 10CFM @ 29PSI, FAN:6"

Finish: Nickel Plated


Aluminum Die Cast Gun Body ; Stainless Steel Nozzle & needle

ORDER

903G	Gun, and side cup
KIT-03H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-903	Repair Kit (Sprins, gasket etc...)

Standard Sizes: 1.4

Optional Sizes: 0.8 / 1.1 / 1.8



878SHE

MINI

HVLP

WATER
BORN



TECHNICAL DATA:

Weight: 0.66 lbs

Operating Pressure: 4CFM @29PSI, FAN:6"

Finish: Nickel Plated

Aluminum Die Casting Gun Body ; Stainless Steel Nozzle and Needle.

878SHE GUN	Gun only
878SHE-AC	Gun, 0.125 lit aluminum cup
878SHE-WP	Gun, 0.125 lit WB plastic cup
878SHE-AM	Gun, 0.25 lit aluminum cup
878SHE-GUN KIT	Gun, additional tips (1 or 2),cup. regulator, repair kit and tools.
KIT-78S	Nozzle Set (Air cap, nozzle and needle)
ACC-R-878S	Repair Kit (Sprins, gasket etc...)

Standard Sizes: 1.0 / 1.2

Optional Sizes: 0.8 / 1.3 / 1.4

Special Order (call): 1.5 / 2.0

828H

MINI

HVLP



TECHNICAL DATA:

Weight: 0.57 lbs

Operating Pressure: 4CFM @ 43PSI, FAN:6"

Finish: Nickel Plated

Aluminum Die Cast Gun Body ; Stainless Steel Nozzle & needle

ORDER

828H-PC	Gun, 0.125 lit plastic cup
KIT-28H	Nozzle Set (Air cap, nozzle and needle)
ACC-R-828	Repair Kit (Sprins, gasket etc...)

Standard Sizes: 10

Special Order (call): 0.8 / 1.5

CUP-28AC



125 c.c.
(0.125 lit)
aluminum
cup

CUP-28PC



125 c.c.
(0.125 lit)
plastic
cup

CUP-28AM



250 c.c.
(0.25 lit)
aluminum
cup

CUP-88



88 c.c.
stainless steel cup

REG-60



Cheater
Valve



WARWICK



custom
painting



commercial



fleet



manufacturer





WARWICK

INDUSTRIAL:

Flaw detection chemicals application

Photo catalyst solution application

Adhesive application

Anti-spatter on machines parts

Anti-corrosive

Metal forming oil application

Mold release agent spraying

Welding industries and more...

WWW.WARWICK-SPRAYGUNS.COM

HOW TO CHOOSE

Metric Size	Decimal Size	For Use with Zahn 2 Viscosity Range	Fluid Viscosity Types	Automotive Paints	Industrial / Commercial Wood Work Coatings					
.5mm	.0197 inch	<14-16	Ultra Light	stains, wash primers, dyes, solvents, inks, water.	stains, wash primers, dyes, solvents, inks, water					
.8mm	.0315 inch	<14-16	Very Light	Base coat , clear coat, single stage.		primers, acrylics, lacquers, sealers, zinc, chromates, lubricants.				
1.0mm	.0394 inch	16-20	Light		synthetic enamels, fillers, shellacs, varnishes, primer, epoxies, urethanes, lubricants, wax emulsions, medium latex paint, waterborne industrial coatings, contact adhesives*					
1.1mm	.0433 inch						Medium			
1.2mm	.0472 inch	16-20				Medium				
1.3mm	.0512 inch	16-20	Medium to Heavy							
1.4mm	.0551 inch	20-60					Heavy			
1.5mm	.0591 inch			Primers, gel coat, polyester.		hi-build latex, multi color, light texture coatings, gel coat				
1.6mm	.0630 inch		Heavy							
1.7mm	.0669 inch	>60			Primers, gel coat, polyester.		hi-build latex, multi color, light texture coatings, gel coat			
1.9mm	.0748 inch	>60		Heavy						
2.0mm	.0787 inch	>60						Primers, gel coat, polyester.	hi-build latex, multi color, light texture coatings, gel coat	
2.2mm	.0866 inch	>60								Heavy
2.3mm	.0906 inch	>60				Primers, gel coat, polyester.				
2.5mm	.0984 inch	>60	Heavy							
3.0mm	.1181 inch	>60			Primers, gel coat, polyester.		hi-build latex, multi color, light texture coatings, gel coat			

* 1.4 for typical light viscosity water borne adhesives - for higher viscosities consult your Warwick Rep.

Note: Siphon type HVLP guns generally limited to light to medium viscosity material and low fluid delivery rate.

Always check the material work manual for best spray tips (size range) recommendation if possible,

	Looks Like	Consistency (Ford #4)	Suggest Tip Sets	Examples
LC	water alcohol	Low Viscosity 16 sec. Ford #4 and lower	0.6-1.0 pressure or mini 1.0-1.3 gravity feed	Stains dyes, Automotive base coat, Thin wood working
LCMC	full bod-ied suger water	Low to Medium Viscosity 16-28 sec. Ford #4	1.0-1.2 pressure or mini 1.3-1.5 gravity feed	Automotive clear, Plane and Baot Urethanes, Thin wood working
MC	room temp. pancake syrup	Medium Viscosity 30-40 sec. Ford #4	1.2-1.3 pressure or mini 1.5-1.8 gravity feed	Wood standard lacquers and enamels, Single stage old enamels
HC	latex paint	High Viscosity 45-54 sec. Ford#4	1.5-1.5 pressure or mini 1.6-2.5 gravity	Latex paint, Industrial coatings
VHC	glue	Very High Viscosity	1.7-2.8 pressure feed 2.0-3.6 gravity feed	Gel coat Industrial paints and primer

ACCESSORIES

CUP #26 SERIES (for 827HF model)



Gravity cup filter



HOSES



CUP #27 SERIES (for all full size model)



Filter for Siphon cup



Tank Liners



CUP #28 SERIES (for all mini model)



REG-60



Siphon cup & gasket



CUP #80 SERIES (for aold 980 model)



REG-34H



Pressure pot & gasket




CUP -88 (3oz s.s. cup)



ACC-809 inlet filter



Tank Regulator



CUP LIDS



ACC-818 cleaning kit



825-P

ACC-811 Gun lube



ACC-815 Gun holder



Price Ref #	Part No.	material / capacity	Thread	827HF (OLD)	904HE 827H (NEW)	881H 980H/HE (NEW)	980H 980HE (OLD)	990HE	878SHE mini	828H mini
3M PPS ADAPTER CROSS REFERENCE --->				16016 #9	16603 #2	16603 #2	16132 #37	16603 #2	16105 #21	16105 #21
5001	CUP-26AC	G, aluminum / 1000 cc	M, 16X1.5	X						
5002	CUP-26PC	G, plastic / 600 cc	M, 16X1.5	X						
5003	CUP-27AC	G, aluminum / 1000 cc	F, 16X1.5		X	X		X	adap #27	adap #27
5004	CUP-27PC	G, plastic / 600 cc	F, 16X1.5		X	X		X	adap #27	adap #27
5006	CUP-27AS	G, aluminum / 600 cc	F, 16X1.5		X	X		X	adap #27	adap #27
5005	CUP-27WBPC*	G, plastic / 600 cc	F, 16X1.5		X	X		X	adap #27	adap #27
5007	CUP-80AC	G, aluminum / 1000 cc	M, 5/8"-11				X			
5008	CUP-80WBPC*	G, plastic / 600 cc	M, 5/8"-11				X			
5009	CUP-28AC	G, aluminum / 125 cc	F, 14X1.0		adap #28	adap #28		adap #28	X	X
5010	CUP-28PC	G, plastic / 125 cc	F, 14X1.0		adap #28	adap #28		adap #28	X	X
5042	CUP-28AC-250	G, aluminum / 250 cc	F, 14X1.0		adap #28	adap #28		adap #28	X	X
5014	CUP-28SWBPC* **	G, plastic / 125 cc	F, 14X1.0						X	
5050	CUP-88 (**)	G, stainless steel / 3oz	F, 14X1.0		adap #28	adap #28		adap #28	X	X
				903G	903H	891H	891WB	894H	777HE	898 C
5018	CUP-03G	aluminum / 0.4L	1/4"	X						
5016	CUP-02	aluminum / 1qt.	3/8"		adap #03	X	X		X	X
5017	CUP-03	aluminum / 0.6 L	1/4"		X					
5019	CUP-2QB	aluminum / 2 qt.	-----			X	X	X	X	X
5020	TANK-25N	2.25 gallons /single	-----			X	X		X	X
5021	TANK-26N	2.25 gallons / dual	-----			X	X		X	X
5040	#27	Adapter #27 16X1.5 MALE - 14X1.0 FEMALE		5049	#88	Adapter #88 14X1.0 MALE - 10X1.0 MALE				
5041	#28	Adapter #28 14X1.0 MALE - 16X1.5 FEMALE		5048	#03	Adapter #03 1/4" - 3/8"				

Note:

WARWICK INDUSTRIES INC.

164 W. Pomona Ave.

Monrovia, CA 91016

www.warwick-sprayguns.com



Your Distributor:

WARWICK

Industries Inc. since 1995

